## SEQUENCE LISTING

<110> Heller, Michael J.
 Windhab, Norbert
 Anderson, Richard MAIL
 Ackley, Donald E.
 Nova, Tina S.
 Hoppe, Hans-Ullrich
 Hamon, Christian





MAIL DAIFE

120> MICROELECTRONIC MOLECULAR DESCRIPTOR ARRAY DEVICES, METHODS, PROCEDURES, AND FORMATS FOR COMBINATORIAL SELECTION OF INTERMOLECULAR LIGAND BINDING STRUCTURES AND FOR DRUG SCREENING

- <130> Patrick Eagleman: Nanogen 241/172
- <140> 09/374,338
- <141> 1999-08-13
- <160> 31
- <170> PatentIn version \3.0
- <210> 1
- <211> 7
- <212> DNA
- <213> SYNTHETIC CONSTRUCT
- <220>
- <221> modified base
- <222> (1)..(7)
- <223> Entire sequence is Pyranosyl RNA
- <220>
- <221> modified base
- <222> (1)..(1)
- <223> Base 1 is tryptamine
- <220>
- <221> modified base
- <222> (7)..(7)
- <223> Base 7 is modified with Texas Red
- <400> 1

```
ngaaggg
<210>
      2
<211>
      14
<212> DNA
<213>
      SYNTHETIC CONSTRUCT
<220>
<221> modified_base
<222> (1)..(14)
<223> Entire sequence is Pyranosyl RNA
<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 is modified with Biotin
<220>
<221> modified base
<222>
      (8)..(8)
<223>
      Base 8 is tryptamine
<400> 2
cccttctncc cccg
<210> 3
<211> 7
<212> DNA
<213> SYNTHETIC CONSTRUCT
<220>
<221> modified_base
<222> (1)..(7)
<223> Entire sequence is Pyranosyl RNA
<220>
<221> modified base
<222> (1)..(1)
<223> Base 1 is modified with Cyanine-3 flourescent dye
```

```
<220>
<221> modified_base
<222> (7)..(7)
<223> Base 7 is tryptamine
<400> 3
cgggggn
<210> 4
<211> 7
<212> DNA
<213> SYNTHETIC CONSTRUCT
<220>
<221> modified base
<222> (1)..(7)
<223> Entire sequence is Pyranosyl RNA
<220>
<221> modified_base
<222> (3)..(3)
<223> Base 3 is tryptamine
<220>
<221> modified base
<222> (4)..(4)
<223> Base 4 is tryptamine
<220>
<221> modified base
<222> (5)..(5)
<223> Base 5 is tryptamine
<400> 4
ccnnngg
```

```
<210> 5
<211> 7
<212> DNA
<213> SYNTHETIC CONSTRUCT
<220>
<221> modified base
<222> (1)..(7)
<223> Entire sequence is Pyranosyl RNA
<220>
<221> modified base
<222> (1)..(1)
<223> Base 1 modified with Fluorophore
<220>
<221> modified base
<222> (7)..(7)
<223> Base 7 modified with a Peptide
<220>
<221> modified base
<222> (7)..(7)
<223> Base 7 is tryptamine
<400> 5
cgggggn
<210> 6
<211> 8
<212> DNA
<213> SYNTHETIC CONSTRUCT
<220>
<221> modified base
<222> (1)..(8)
<223> Entire sequence is Pyranosyl RNA
<220>
<221> modified base
```

```
<222>
      (1)..(1)
<223> Base 1 modified with a Peptide
<220>
<221> modified base
<222> (1)..(1)
<223> Base 1 is tryptamine
<220>
<221> modified_base
<222> (8)..(8)
<223> Base 8 is any nucleotide
<400> 6
ngaagggn
<210> 7
·<211> 14
<212> DNA
<213> SYNTHETIC CONSTRUCT
<220>
<221> modified base
<222> (1)..(14)
<223> Entire sequence is Pyranosyl RNA
<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 modified with Biotin
<220>
<221> modified_base
<222> (7)..(7)
<223> Base 7 is tryptamine
<220>
       modified_base
<221>
      (7)..(8)
<222>
```

PECEIVED TECHCENTER ISOUZERS

<223> Bases 7 and 8 are modified by Peptide connection.

```
<400> 7
 cccttcntcc cccg
 <210> 8
 <211> 6
 <212> PRT
 <213> SYNTHETIC CONSTRUCT
 <220>
 <221> PEPTIDE
 <222> (1)..(1)
 <223> 1st amino acid is modified with pyranosyl RNA
 <400> 8
 Cys Leu Ser Leu Glu Gly
 .1
 <210> 9
 <211> 6
 <212> PRT
 <213> SYNTHETIC CONSTRUCT
 <220>
 <221> PEPTIDE
 <222> (1)..(1)
 <223> 1st amino acid is modified with pyranosyl RNA
<400> 9
 Cys Ser Leu Glu Ser Gly
 <210> 10
 <211>
        6
 <212> PRT
 <213>
        SYNTHETIC CONSTRUCT
 <220>
```

<221> PEPTIDE

```
<222> (1)..(1)
<223> 1st amino acid is modified with pyranosyl RNA
<400> 10
Cys Leu Leu Ser Glu Gly
                5
<210> 11
<211> 6
<212> PRT
<213> SYNTHETIC CONSTRUCT
<220>
<221> PEPTIDE
<222> (1)..(1)
<223> 1st amino acid is modified with pyranosyl RNA
<400> 11
.Cys Ser Arg Ser Arg Gly
<210> 12
<211>
<212> PRT
<213>
      SYNTHETIC CONSTRUCT
<220>
<221> PEPTIDE
<222> (1)..(1)
<223> 1st amino acid is modified with pyranosyl RNA
<400> 12
Cys Ser Arg His Arg Gly
<210>
       13
<211>
<212> PRT
<213> SYNTHETIC CONSTRUCT
<220>
```

```
<221> PEPTIDE
<222> (1)..(1)
<223>
      1st amino acid is pyranosyl RNA
<400> 13
Cys His Arg Tyr Arg Gly
<210> 14
<211> 6
<212> DNA
<213> SYNTHETIC CONSTRUCT
<220>.
<221> modified_base
<222> (1)..(6)
<223> Entire sequence is pyranosyl RNA
<400> 14
.cccddd
6
<210> 15
<211> 7
<212> DNA
<213> SYNTHETIC CONSTRUCT
<220>
<221> modified base
<222> (1)..(7)
<223> Entire sequence is pyranosyl RNA
<220>
<221> modified_base
<222> (4)..(4)-
<223> Base 4 is tryptamine
<400> 15
cccnggg
```

```
<210> 16
 <211>
 <212> DNA
 <213> SYNTHETIC CONSTRUCT
<220>
<221> Modified base
<222> (1)..(8)
<223> Entire sequence is pyranosyl RNA
<220>
<221> Modified_base
<222> (4)..(4)
<223> Base 4 is tryptamine
<220>
<221> Modified_base
<222> (5)..(5)
<223> Base 5 is tryptamine
<400> 16
cccnnggg
<210> 17
<211> 8
<212> DNA
<213> SYNTHETIC CONSTRUCT
<220>
<221> modified base
<222> (1)..(8)
<223>
       Entire sequence is pyranosyl RNA
<220>
<221> modified base
<222> (3)..(3)
<223> Base 3 is tryptamine
```

<220>

```
<221> modified base
 <222> (6)..(6)
 <223> Base 6 is tryptamine
· <400> 17
 ccncgngg
 <210> 18
 <211> 7
<212> DNA
 <213> SYNTHETIC CONSTRUCT
 <220>
 <221> modified base
 <222> (1)..(7)
 <223> Entire sequence is pyranosyl RNA
 <220>
 '<221> modified base
 <222> (2)..(2)
 <223> Base 2 is tryptamine
 <220>
 <221> modified_base
 <222> (4)..(4)
 <223> Base 4 is tryptamine
 <220>
 <221> modified base
 <222> (6)..(6)
 <223> Base 6 is tryptamine
 <400> 18
 cncngng
 7
 <210> 19
 <211> 8
```

<212> DNA

```
<213> SYNTHETIC CONSTRUCT
<220>
<221> modified base
<222> (1)..(8)
<223> Entire sequence is pyranosyl RNA
<220>
<221> modified_base
<222> (4)..(4)
<223> Base 4 is tryptamine
<220>
<221> modified_base
<222> (5)..(5)
<223> Base 5 is tryptamine
<220>
<221> modified base
'<222> (4)..(5)
<223> Base 4 and 5 is modified by thioester linkage to Seq. ID No. 20
<400> 19
cccnnggg
<210> 20
<211> 6
<212> PRT
<213> SYNTHETIC CONSTRUCT
<400> 20
Cys Phe Pro Tyr Trp Gly
1
                5
<210> 21
<211> 6
<212> DNA
<213> SYNTHETIC CONSTRUCT
<220>
```

```
<221> modified base
<222> (1)..(6)
<223> Entire sequence is pyranosyl RNA
<220>
<221> modified base
<222> (1)..(1)
<223> Base 1 is tryptamine
<400> 21
ngaagg
<210> 22
<211> 6
<212> DNA
<213> SYNTHETIC CONSTRUCT
<220>
'<221> modified base
<222> (1)..(6)
<223> Entire sequence is pyranosyl RNA
<220>
<221> modified base
<222> (6)..(6)
<223> Base 6 is tryptamine
<400> 22
gggggn
<210> 23
<211> 11
<212> DNA
<213> SYNTHETIC CONSTRUCT
<220>
<221> modified base
<222> (1)..(11)
<223> Entire sequence is pyranosyl RNA
```

```
<220>
<221> modified_base
<222> (6)..(6)
<223> Base 6 is tryptamine
<400> 23
ccttcncccc c
<210> 24
<211> 6
<212> PRT
<213> SYNTHETIC CONSTRUCT
<400> 24
Cys His His His Gly
<210>
      25
<211> 6
<212> PRT
<213> SYNTHETIC CONSTRUCT
<400> 25
Cys Phe Pro Ser Phe Gly
<210> 26
<211> 7
<212> DNA
<213>
      SYNTHETIC CONSTRUCT
<220>
<221> modified base
<222> (1)..(7)
<223> Entire sequence is pyranosyl RNA
<220>
<221> modified_base
<222> (7)..(7)
```

```
<223> Base 7 is modified with Cyanine3
<220>
<221> modified base
<222> (7)..(7)
<223> Base 7 is tryptamine
<400> 26
cgggggn
<210> 27
<211> 11
<212> DNA
<213> SYNTHETIC CONSTRUCT
<220>
<221> modified_base
<222> (1)..(11)
<<223> Entire sequence is pyranosyl RNA
<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 is modified with Biotin
<220>
<221> modified_base
<222> (6)..(6)
<223> Base 6 is tryptamine
<400> 27
ccttcncccc c
1
<210> 28
<211> 9
<212> DNA
<213> SYNTHETIC CONSTRUCT
```

```
<220>
<221> modified base
<222> (1)..(9)
<223> Entire sequence is pyranosyl RNA
<220>
<221> modified_base
<222> (1)..(1)
<223> Base 1 is tryptamine
<220>
<221> modified base
<222> (1)..(1)
<223> Base 1 is modified with Biotin
<400> 28
ngggaaggg
<210> 29
<211> 8
<212> DNA
<213> SYNTHETIC CONSTRUCT
<220>
<221> modified base
<222> (1)..(8)
<223> Entire sequence is pyranosyl RNA
<220>
<221> modified base
<222> (1)..(1)
<223> Base 1 is modified with Biotin
<400> 29
cccttccc
<210> 30
<211> 8
```

```
<212>
       DNA
<213>
       SYNTHETIC CONSTRUCT
<220>
<221> modified base
<222> (1)..(8)
<223> Entire sequence is pyranosyl RNA
<220>
<221> modified base
<222> (1)..(1)
<223> Base 1 is modified with Biotin
<220>
<221> modified_base
<222> (7)..(7).
<223> Base 7 is tryptamine
<400> 30
.taggcant
8 .
<210> 31
<211> 8
<212> DNA
<213> SYNTHETIC CONSTRUCT
<220>
<221> modified_base
<222> (1)..(8)
<223> Entire sequence is pyranosyl RNA
<220>
<221> modified base
<222> (1)..(1)
<223> Base 1 is modified with Biotin
<220>
<221> modified_base
<222> (2)..(2)
<223> Base 2 is tryptamine
```

<400> 31 antgccta 8